	<del></del>	
	Application No.	Applicant(s)
Nation of Allowahility	10/602,370	PENDRAY ET AL.
Notice of Allowability	Examiner	Art Unit
	A. J. HEINZ	2627
The MAILING DATE of this communication appears on the cover sheet with the correspondence address All claims being allowable, PROSECUTION ON THE MERITS IS (OR REMAINS) CLOSED in this application. If not included herewith (or previously mailed), a Notice of Allowance (PTOL-85) or other appropriate communication will be mailed in due course. THIS NOTICE OF ALLOWABILITY IS NOT A GRANT OF PATENT RIGHTS. This application is subject to withdrawal from issue at the initiative of the Office or upon petition by the applicant. See 37 CFR 1.313 and MPEP 1308.		
1. This communication is responsive to <u>papers filed 3/9/06</u> .		
2. The allowed claim(s) is/are <u>1-13 and 15-31</u> .		
<ul> <li>3. ☐ Acknowledgment is made of a claim for foreign priority under 35 U.S.C. § 119(a)-(d) or (f).</li> <li>a) ☐ All b) ☐ Some* c) ☐ None of the:</li> <li>1. ☐ Certified copies of the priority documents have been received.</li> </ul>		
·		
<ul> <li>2. Certified copies of the priority documents have been received in Application No</li> <li>3. Copies of the certified copies of the priority documents have been received in this national stage application from the</li> </ul>		
International Bureau (PCT Rule 17.2(a)).		
* Certified copies not received:		
Applicant has THREE MONTHS FROM THE "MAILING DATE" of this communication to file a reply complying with the requirements noted below. Failure to timely comply will result in ABANDONMENT of this application.  THIS THREE-MONTH PERIOD IS NOT EXTENDABLE.		
4. A SUBSTITUTE OATH OR DECLARATION must be submitted. Note the attached EXAMINER'S AMENDMENT or NOTICE OF INFORMAL PATENT APPLICATION (PTO-152) which gives reason(s) why the oath or declaration is deficient.		
5. CORRECTED DRAWINGS (as "replacement sheets") must be submitted.  (a) including changes required by the Notice of Draftsperson's Patent Drawing Review (PTO-948) attached		
<ol> <li>□ hereto or 2) □ to Paper No./Mail Date</li> <li>□ including changes required by the attached Examiner's Amendment / Comment or in the Office action of Paper No./Mail Date</li> </ol>		
Identifying indicia such as the application number (see 37 CFR 1.84(c)) should be written on the drawings in the front (not the back) of each sheet. Replacement sheet(s) should be labeled as such in the header according to 37 CFR 1.121(d).		
6. DEPOSIT OF and/or INFORMATION about the deposit of BIOLOGICAL MATERIAL must be submitted. Note the attached Examiner's comment regarding REQUIREMENT FOR THE DEPOSIT OF BIOLOGICAL MATERIAL.		
Attachment(s) 1. ☑ Notice of References Cited (PTO-892)	5 \( \text{Notice of Informal I} \)	Patent Application (PTO-152)
Notice of Draftperson's Patent Drawing Review (PTO-948)	6. ☐ Interview Summary	.,
3. ☐ Information Disclosure Statements (PTO-1449 or PTO/SB/0	Paper No./Mail Da	ate
Paper No./Mail Date  4.  Examiner's Comment Regarding Requirement for Deposit		ent of Reasons for Allowance
of Biological Material	9.  Other	
	<del>-</del>	

Application/Control Number: 10/602,370 Page 2

Art Unit: 2627

1. A request for continued examination under 37 CFR 1.114, including the fee set forth in 37 CFR 1.17(e), was filed 09 March 2006 in this application after final rejection. Since this application is eligible for continued examination under 37 CFR 1.114, and the fee set forth in 37 CFR 1.17(e) has been timely paid, the finality of the previous Office action has been withdrawn pursuant to 37 CFR 1.114. Applicant's submission (After Final Amendment) filed on 13 February 2006 has been entered.

## · EXAMINER'S AMENDMENT/COMMENT

2. An examiner's amendment to the record appears below.

Should the changes and/or additions be unacceptable to applicant, an amendment may be filed as provided by 37

CFR 1.312. To ensure consideration of such an amendment, it MUST be submitted no later than the payment of the issue fee.

Authorization for this examiner's amendment was given in a telephone interview with Mr. B.D. Kaul on 1 May 2006.

IN THE CLAIMS:

In claim 1:

line 4 has been replace with:

Application/Control Number: 10/602,370

Art Unit: 2627

--at least one air bearing surface for generating a lifting force;--;

lines 8-10 have been replace with:

--each including a media-facing surface which are recessed relative to the air bearing surface; and

first and second elongated depressions formed-in and extending along at--.

## In claim 12:

line 4 has been replace with:

--at least one air bearing surface for generating a lifting force;--;

lines 8-10 have been replace with:

--each including a media-facing surface which are recessed relative to the air bearing surface; and

a plurality of rail depressions formed in each of the first and--.

## In claim 20:

lines 9-11 have been replaced with:

--leading recessed region and having a media-facing surface, the cross rail extending transverse to the longitudinal

Art Unit: 2627

axis and being discontinuous from the first and second rails;

3. Any inquiry concerning this communication or earlier communications from the examiner should be directed to A. J. HEINZ whose telephone number is (571) 272-7587. The examiner can normally be reached on M-F 9:30-6:00.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, DWAYNE BOST can be reached on (571)272-7023.

The fax phone number for the organization where this application or proceeding is assigned is (571)273-8300.

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see http://pair-direct.uspto.gov. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free).

A. J. HEINZ Primary Examiner Art Unit 2627